




**FROG ENGINEERING**

**OFBB FIBER OPTIC  
TERMINATION PANELS**





**FROG ENGINEERING**

## 1U OFBB FIBER OPTIC TERMINATION PANEL



### TECHNICAL FEATURES

- Maximum fiber optic termination availability with outstanding cable management
- 12 / 24 ports splice cassettes
- Minimum cable movability
- Protected adapter panel
- Full opening with rail structure
- Magnetic hinge front cover
- Bend radius module
- 21" converter brackets
- Compliance with all types of adapters
- LC, FC, ST, MTRJ, E-2000 etc. modules



### TECHNICAL DETAILS

- Capacity:  
1U, 12 / 24 ports
- Dimensions: (19") W=482mm x D=240mm x 1U (H=44,45 mm)
- Material: Carbon Steel
- Weight: 4,2 kg
- Color: RAL 7035 Light Grey or RAL 9005 Black

### INSTALLATION AREAS

LAN & WAN projects, FTTx installations and Data Centers

### SET CONTENTS

- Self-adhesive organizer 5 pcs
- M5 splice cassette nut 1 pcs
- M6 screw and nut set (4 pcs) 1 set
- 50cm spiral tube 1 pcs
- 2,5 x 100mm cable tie 5 pcs
- PG16 gland 1 pcs
- PG16 dummy plug 1 pcs




## 2U OFBB FIBER OPTIC TERMINATION PANEL

**FROG ENGINEERING**



### TECHNICAL FEATURES

- Maximum fiber optic termination availability with outstanding cable management
- 12 / 24 ports splice cassettes
- Minimum cable movability
- Protected adapter panel
- Full opening with rail structure
- Magnetic hinge front cover
- Bend radius module
- 21" converter brackets
- Compliance with all types of adapters
- LC, FC, ST, MTRJ, E-2000 etc. modules



### TECHNICAL DETAILS

- Capacity: 2U 48 / 96 ports
- Dimensions: (19") W=482mm x D=240mm x 2U (H=88,9 mm)
- Material: Carbon Steel
- Weight: 5,2 kg
- Color: RAL 7035 Light Grey or RAL 9005 Black

### INSTALLATION AREAS

LAN & WAN projects, FTTx installations and Data Centers

### SET CONTENTS

- Self-adhesive organizer 5 pcs
- M5 splice cassette nut 1 pcs
- M6 screw and nut set (4 pcs) 1 set
- 50cm spiral tube 1 pcs
- 2,5 x 100mm cable tie 5 pcs
- PG16 gland 1 pcs
- PG16 dummy plug 1 pcs




## 3U OFBB FIBER OPTIC TERMINATION PANEL

**FROG ENGINEERING**



### TECHNICAL FEATURES

- Maximum fiber optic termination availability with outstanding cable management
- 12 / 24 ports splice cassettes
- Minimum cable movability
- Protected adapter panel
- Full opening with rail structure
- Magnetic hinge front cover
- Bend radius module
- 21" converter brackets
- Compliance with all types of adapters
- LC, FC, ST, MTRJ, E-2000 etc. modules



### TECHNICAL DETAILS

- Capacity: 3U 72 / 144 ports
- Dimensions: (19") W=482mm x D=240mm x 3U (H=133 mm)
- Material: Carbon Steel
- Weight: 6,2 kg
- Color: RAL 7035 Light Grey or RAL 9005 Black



### SET CONTENTS

- Self-adhesive organizer 5 pcs
- M5 splice cassette nut 1 pcs
- M6 screw and nut set (4 pcs) 1 set
- 50cm spiral tube 1 pcs
- 2,5 x 100mm cable tie 5 pcs
- PG16 gland 1 pcs
- PG16 dummy plug 1 pcs

### INSTALLATION AREAS

LAN & WAN projects, FTTx installations and Data Centers



## 4U OFBB FIBER OPTIC TERMINATION PANEL

FROG ENGINEERING



### TECHNICAL FEATURES

- Maximum fiber optic termination availability with outstanding cable management
- 12 / 24 ports splice cassettes
- Minimum cable movability
- Protected adapter panel
- Full opening with rail structure
- Magnetic hinge front cover
- Bend radius module
- 21" converter brackets
- Compliance with all types of adapters
- LC, FC, ST, MTRJ, E-2000 etc. modules



### TECHNICAL DETAILS

- Capacity: 4U 96/144
- Dimensions: (19") W=482mm x D=240mm x 4U (H=177,8 mm)
- Material: Carbon Steel
- Weight: 7,4 kg
- Color: RAL 7035 Light Grey or RAL 9005 Black

### SET CONTENTS

- Self-adhesive organizer 5 pcs
- M5 splice cassette nut 1 pcs
- M6 screw and nut set (4 pcs) 1 set
- 50cm spiral tube 1 pcs
- 2,5 x 100mm cable tie 5 pcs
- PG16 gland 1 pcs
- PG16 dummy plug 1 pcs

### INSTALLATION AREAS

LAN & WAN projects, FTTx installations and Data Centers