

# STANDARD CABINETS READY TO DISPATCH





\* Upper Separators , Laser Cut Logo Header, A and M Separators are not included.

DESCRIPTION PRODUCT CODE

**W= 600** D=1000 / 1100 / 1200

| MR.GTDC.42U6010.XX | 42U 19" 600x1000mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MR.GTDC.46U6010.XX | 46U 19" 600x1000mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included  |
| MR.GTDC.48U6010.XX | 48 U 19" 600x1000mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |
| MR.GTDC.42U6011.XX | 42 U 19" 600x1100mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |
| MR.GTDC.46U6011.XX | 46 U 19" 600x1100mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |
| MR.GTDC.48U6011.XX | 48 U 19" 600x1100mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |
| MR.GTDC.42U6012.XX | 42 U 19" 600x1200mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |
| MR.GTDC.46U6012.XX | 46 U 19" 600x1200mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |
| MR.GTDC.48U6012.XX | 48 U 19" 600x1200mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |

**W= 800** D=1000 / 1100 / 1200

| MR.GTDC.42U8010.XX | 42U 19" 800x1000mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included  |    |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| MR.GTDC.46U8010.XX | 46U 19" 800x1000mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included  |    |
| MR.GTDC.48U8010.XX | 48 U 19" 800x1000mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |    |
| MR.GTDC.42U8011.XX | 42 U 19" 800x1100mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |    |
| MR.GTDC.46U8011.XX | 46 U 19" 800x1100mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |    |
| MR.GTDC.48U8011.XX | 48 U 19" 800x1100mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |    |
| MR.GTDC.42U8012.XX | 42 U 19" 800x1200mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included |    |
| MR.GTDC.46U8012.XX | 46 U 19" 800x1200mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included | 33 |
| MR.GTDC.48U8012.XX | 48 U 19" 800x1200mm GTDC-Data Center Cabinet, %80 Perforated Front and Rear Door, Multiple Cable Entry Options with Right / Left Side Panels and Top Panel and Pinion Leveling Feet Included | ,  |
|                    |                                                                                                                                                                                              |    |

# STANDARD CABINET CONFIGURATIONS

# Standard Configuration for Data Center Solutions



Angular, %80 Perforated Front Door



Rear PDU Holder and Cable Tray Rear



Internal Ground Connection Kit




Upper Cover (W=600) 1x 167mm x 200mm Sliding Rubber Cable Entry (W=800) 4x 167mm x 200mm Sliding Rubber Cable Entry



ar boor uble Door, %80 Perforated Sid

Side Doors Horizontal Double Door Independent From Each Other





W=600mm


| PRODUCT CODE                                                                                               | DESCRIPTION                            | H SIZE (U) | <b>DIMENSIONS</b><br>W X D X H (MM) | MAIN FRAME WEIGHT<br>(KG) |
|------------------------------------------------------------------------------------------------------------|----------------------------------------|------------|-------------------------------------|---------------------------|
| MR.GTDC.MF42610.XX                                                                                         | 42U 600x1000 Main Frame (4X) Side Rail | 420        | 600x1000x2020                       |                           |
| MR.GTDC.MF46610.XX                                                                                         | 46U 600x1000 Main Frame (4X) Side Rail | 46U        | 600x1000x2200                       |                           |
| MR.GTDC.MF48610.XX                                                                                         | 48U 600x1000 Main Frame (4X) Side Rail | 48U        | 600x1000x2288                       |                           |
| MR.GTDC.MF42611.XX                                                                                         | 42U 600x1100 Main Frame (4X) Side Rail | 420        | 600x1100x2020                       |                           |
| MR.GTDC.MF46611.XX                                                                                         | 46U 600x1100 Main Frame (4X) Side Rail | 46U        | 600x1100x2200                       |                           |
| MR.GTDC.MF48611.XX                                                                                         | 48U 600x1100 Main Frame (4X) Side Rail | 48U        | 600x1100x2288                       |                           |
| MR.GTDC.MF42612.XX                                                                                         | 42U 600x1200 Main Frame (4X) Side Rail | 420        | 600x1200x2020                       |                           |
| MR.GTDC.MF46612.XX                                                                                         | 46U 600x1200 Main Frame (4X) Side Rail | 46U        | 600x1200x2200                       |                           |
| MR.GTDC.MF48612.XX                                                                                         | 48U 600x1200 Main Frame (4X) Side Rail | 48U        | 600x1200x2288                       |                           |
| XX= Colour Code, 02 for Light Grey RAL 7035 and 01 for Black RAL 9005, added by the customer in the order. |                                        |            |                                     |                           |

D=1000mm

D=1100mm


D=1200mm






| PRODUCT CODE       | DESCRIPTION                            | H SIZE (U) | <b>DIMENSIONS</b><br>W X D X H (MM) | MAIN FRAME WEIGHT<br>(KG) |
|--------------------|----------------------------------------|------------|-------------------------------------|---------------------------|
| MR.GTDC.MF42810.XX | 42U 800x1000 Main Frame (4X) Side Rail | 420        | 800x1000x2020                       |                           |
| MR.GTDC.MF46810.XX | 46U 800x1000 Main Frame (4X) Side Rail | 46U        | 800x1000x2200                       |                           |
| MR.GTDC.MF48810.XX | 48U 800x1000 Main Frame (4X) Side Rail | 48U        | 800x1000x2288                       |                           |
| MR.GTDC.MF42811.XX | 42U 800x1100 Main Frame (4X) Side Rail | 420        | 800x1100x2020                       |                           |
| MR.GTDC.MF46811.XX | 46U 800x1100 Main Frame (4X) Side Rail | 46U        | 800x1100x2200                       |                           |
| MR.GTDC.MF48811.XX | 48U 800x1100 Main Frame (4X) Side Rail | 48U        | 800x1100x2288                       |                           |
| MR.GTDC.MF42812.XX | 42U 800x1200 Main Frame (4X) Side Rail | 420        | 800x1200x2020                       |                           |
| MR.GTDC.MF46812.XX | 46U 800x1200 Main Frame (4X) Side Rail | 46U        | 800x1200x2200                       |                           |
| MR.GTDC.MF48812.XX | 48U 800x1200 Main Frame (4X) Side Rail | 480        | 800x1200x2288                       |                           |

XX= Colour Code, 02 for Light Grey RAL 7035 and 01 for Black RAL 9005, added by the customer in the order.













No Cable Outlet on Pagoda Hat, Can be Opened on Demand



Angular Roof with Filter





Angular Roof




Angular Roof
Perforated or non-Perforated
Middle Closure












Standard Plain Roof Plus



Pagoda Roof



Angular Roof with Filter



Angular Roof





Plain Roof
Perforated and non-perforated
Middle Closure



C Brush







# GT-DC Series DATA CENTER & NETWORK SOLUTIONS W=800 ROOF COVER



| Standard Plain Roof W=600t |  |
|----------------------------|--|

PRODUCT CODE

| MR.DS1K61O.XX | Standard 600x1000 Plain Roof with 1 Cable Entry |
|---------------|-------------------------------------------------|
| MR.DS1K611.XX | Standard 600x1100 Plain Roof with 1 Cable Entry |
| MR.DS1K612.XX | Standard 600x1200 Plain Roof with 1 Cable Entry |

DESCRIPTION



MODEL

## Plain Roof W=600

| MR.DS4K610.XX | Data Center 600x1000 Plain Roof with 4 Cable Enrties |
|---------------|------------------------------------------------------|
| MR.DS4K611.XX | Data Center 600x1100 Plain Roof with 4 Cable Enrties |
| MR.DS4K612.XX | Data Center 600x1200 Plain Roof with 4 Cable Enrties |



### Angular Roof W=600

| MR.AS1K1610.XX | Data Center 600x1000 Plain Roof with 1 Cable Enrty |
|----------------|----------------------------------------------------|
| MR.AS1K611.XX  | Data Center 600x1100 Plain Roof with 1 Cable Enrty |
| MR.AS1K612.XX  | Data Center 600x1200 Plain Roof with 1 Cable Enrty |



# Angular Roof with Filter W=600

| MR.ASF610.XX | Data Center 600x1000 Angular Roof (Fan and Filter attachable) |
|--------------|---------------------------------------------------------------|
| MR.ASF611.XX | Data Center 600x1100 Angular Roof (Fan and Filter attachable) |
| MR.ASF612.XX | Data Center 600x1200 Angular Roof (Fan and Filter attachable) |



#### Pannda Roof W=60

|                                                                                           | Pagoda Roof W=600 |                               |
|-------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| !                                                                                         | MR.PS610.XX       | Standard 600x1000 Pagoda Roof |
|                                                                                           | MR.PS611.XX       | Standard 600x1100 Pagoda Roof |
|                                                                                           | MR.PS612.XX       | Standard 600x1200 Pagoda Roof |
|                                                                                           |                   |                               |
| VV- C-land Cade O2 feet telef Cont DAL 702E and O1 fee Diable DAL 000E added to the audeu |                   |                               |





# Standard Plain Roof W=800

PRODUCT CODE

| MR.DS1K810.XX | Standard 800x1000 Plain Roof with 1 Cable Entry |
|---------------|-------------------------------------------------|
| MR.DS1K811.XX | Standard 800x1100 Plain Roof with 1 Cable Entry |
| MR.DS1K812,XX | Standard 800x1200 Plain Roof with 1 Cable Entry |

DESCRIPTION



MODEL

### Data Center Plain Roof W=800

| MR.DS4K810.XX | Data Center 800x1000 Plain Roof with 4 Cable Enrties |
|---------------|------------------------------------------------------|
| MR.DS4K811.XX | Data Center 800x1100 Plain Roof with 4 Cable Enrties |
| MR.DS4K812.XX | Data Center 800x1200 Plain Roof with 4 Cable Enrties |



# Angular Roof W=800

| MR.AS3K810.XX | Data Center 800x1000 Plain Roof with 3 Cable Enrties |
|---------------|------------------------------------------------------|
| MR.AS3K811.XX | Data Center 800x1100 Plain Roof with 3 Cable Enrties |
| MR.AS3K812.XX | Data Center 800x1200 Plain Roof with 3 Cable Enrties |



# Angular Roof with Filter W=800

| MR.ASF2K810.XX | Data Center 800x1000 Angular Roof with Filter and 2 Cable Entries |
|----------------|-------------------------------------------------------------------|
| MR.ASF2K811.XX | Data Center 800x1100 Angular Roof with Filter and 2 Cable Entries |
| MR.ASF2K812.XX | Data Center 800x1200 Angular Roof with Filter and 2 Cable Entries |



# Pagoda Roof W=800

| MR.PS2K810.XX                                                                              | Standard 800x1000 Pagoda Roof 2 Cable Entries |  |
|--------------------------------------------------------------------------------------------|-----------------------------------------------|--|
| MR.PS2K811.XX                                                                              | Standard 800x1100 Pagoda Roof 2 Cable Entries |  |
| MR.PS2K812.XX                                                                              | Standard 800x1200 Pagoda Roof 2 Cable Entries |  |
| XX= Colour Code, O2 for Light Grey RAL 7035 and O1 for Black RAL 9005, added in the order. |                                               |  |




XX= Colour Code, O2 for Light Grey RAL 7035 and O1 for Black RAL 9005, added in the order.

# W= 600 & W= 800 BOTTOM PLATE





Sliding Rubber Edged Cable Entry




Brush Cable Entry



130mm Extensile Sliding Cable Entry




130mm Extensile Sliding Cable Entry











# Mounting Plate with Single Sliding Cable Entry

| W=600 D=600 Bottom Plate with 1 Cable Entry           |
|-------------------------------------------------------|
| W=600 and 800, D=800 Bottom Plate with 1Cable Entry   |
| W=600 and 800, D=1000 Bottom Plate with 1 Cable Entry |
| W=600 and 800, D=1100 Bottom Plate with 1 Cable Entry |
| W=600 and 800, D=1200 Bottom Plate with 1 Cable Entry |
|                                                       |



## Mounting Plate with Double Sliding Cable Entries

| MR.AK2K100CS.XX | W=600 and 800, D=1000 BottomPlate with 2 Cable Entries  |
|-----------------|---------------------------------------------------------|
| MR.AK2K110CS.XX | W=600 and 800, D=1100 Bottom Plate with 2 Cable Entries |
| MR.AK2K12OCS.XX | W=600 and 800, D=1200 Bottom Plate with 2 Cable Entries |



# Mounting Plate with Brush and Single Sliding Cable Entries

| MR.AKF1K60.XX  | W=600 and 800, D=600 Bottom Plate with Brush and Cable Entry  |
|----------------|---------------------------------------------------------------|
| MR.AKF1K80.XX  | W=600 and 800, D=800 Bottom Plate with Brush and Cable Entry  |
| MR.AKF1K100.XX | W=600 and 800, D=1000 Bottom Plate with Brush and Cable Entry |
| MR.AKF1K110.XX | W=600 and 800, D=1100 BottomPlate with Brush and Cable Entry  |
| MR.AKF1K120.XX | W=600 and 800, D=1200 BottomPlate with Brush and Cable Entry  |
|                |                                                               |



# Mounting Plate with Brush and Double Cable Entries

| MR.AKF2K100.XX | W=600 and 800, D=1000 Bottom Plate, Brush and 2 Cable Entries |
|----------------|---------------------------------------------------------------|
| MR.AKF2K110.XX | W=600 and 800, D=1100 Bottom Plate, Brush and 2 Cable Entries |
| MR.AKF2K12O.XX | W=600 and 800, D=1200 Bottom Plate, Brush and 2 Cable Entries |

XX= Colour Code, 02 for Light Grey RAL 7035 and 01 for Black RAL 9005, added in the order.



Single Brush Cable Entry

Double Brush

Cable Entry











...

Top & Bottom Double Side Panels D=1000

PRODUCT CODE

MR.DC.AUYK4210.XX

Data Center 42U D=1000 Top & Bottom Lockable Side Panel

DESCRIPTION

MODELS

H SIZE (U)

420

42U

46U

48U



600x1000 Double Side Panel Application



600x1100 Double Side Panel Application



600x1200



Double Side Panel Application



| To | n B | Bottom   | Double | Side | Panels  | ก=าวกก |
|----|-----|----------|--------|------|---------|--------|
| ΙU | υU  | DOLLOIII | DOUDLE | Jiut | ralle15 | D-TEOO |





600x1000 Single Side Panel Application



600x1100 Single Side Panel Application



Single Side Panel Application



800x1200 Double Side Panel Application



MR.DC.AUYK4212.XX

MR.DC.AUYK4612.XX

| MR.DC.TYK4210.XX | Data Center 42U D= 1000 Lockable Single Side Panel | 420 |
|------------------|----------------------------------------------------|-----|
| MR.DC.TYK4610.XX | Data Center 46U D= 1000 Lockable Single Side Panel | 46U |
| MR.DC.TYK4810.XX | Data Center 48U D= 1000 Lockable Single Side Panel | 48U |

Data Center 42U D= 1100 Lockable Single Side Panel

Data Center 46 D= 1100 Lockable Single Side Panel

Data Center 48 D= 1100 Lockable Single Side Panel





Single Side Panel Application



Top & Bottom Single Side Panel D=1200

Top & Bottom Single Side Panel D=1100

MR.DC.TYK4211.XX

MR.DC.TYK4611.XX

MR.DC.TYK4811.XX

| N | MR.DC.TYK4212.XX | Data Center 42U D= 1200 Lockable Single Side Panel | 420 |
|---|------------------|----------------------------------------------------|-----|
| N | MR.DC.TYK4612.XX | Data Center 46U D= 1200 Lockable Single Side Panel | 460 |
| N | MR.DC.TYK4812.XX | Data Center 48U D= 1200 Lockable Single Side Panel | 48U |

XX= Colour Code, O2 for Light Grey RAL 7035 and O1 for Black RAL 9005, added in the order by customer.



800x1000

Double Side Panel Application

Single Side Panel Application



800x1100







Honeycomb (Optional and Reflects on Price)



Aluminum Side Framed



Convex



Double Door



Angular

Straight














Straight, Perforated Double Door



Convex, Perforated Door



Angular, Perforated Door



Perforated Door



Special Hexagonal Aluminum Side Framed, Perforated Door Perforated Door









180° Openable Leaf Hinge



180° Openable Leaf Hinge



135° Spring Loaded Hinge



# W= 600 & W= 800 FRONT DOOR

| PRODUCT CODE                               | DESCRIPTION                                    | H SIZE (U) | MODEL                                   |
|--------------------------------------------|------------------------------------------------|------------|-----------------------------------------|
| Straight Front Door %63 a                  | nd %80 Perforated W=600                        |            |                                         |
| MR.PDK642.GTP.XX                           | 42U 600 GT Plus Straight Perforated Front Door | 420        |                                         |
| MR.PDK646.GTP.XX                           | 46U 600 GT Plus Straight Perforated Front Door | 46U        |                                         |
| MR.PDK648.GTP.XX                           | 48U 600 GT Plus Straight Perforated Front Door | 48U        |                                         |
| Straight Front Door %63 a                  | nd %80 Perforated W=800                        |            |                                         |
| MR.PDK842.GTP.XX                           | 42U 800 GT Plus Straight Perforated Front Door | 420        |                                         |
| MR.PDK846.GTP.XX                           | 46U 800 GT Plus Straight Perforated Front Door | 46U        |                                         |
| MR.PDK848.GTP.XX                           | 48U 800 GT Plus Straight Perforated Front Door | 480        | 100000000000000000000000000000000000000 |
| MR.PAK648.GTP.XX  Angular Front Door %63 a | 48U 600 GT Plus Angular Perforated Front Door  | 48U        |                                         |
| MR.PAK842.GTP.XX                           | 42U 800 GT Plus Angular Perforated Front Door  | 420        |                                         |
| MR.PAK846.GTP.XX                           | 46U 800 GT Plus Angular Perforated Front Door  | 46U        |                                         |
| MR.PAK848.GTP.XX                           | 48U 800 GT Plus Angular Perforated Front Door  | 48U        |                                         |
| Convex Front Door %63 an                   | d %80 Perforated W=600                         |            |                                         |
| MR.PBK642.GTP.XX                           | 42U 600 GT Plus Convex Perforated Front Door   | 420        |                                         |
| MR.PBK646.GTP.XX                           | 46U 600 GT Plus Convex Perforated Front Door   | 46U        | *************************************** |
| MR.PBK648.GTP.XX                           | 48U 600 GT Plus Convex Perforated Front Door   | 48U        |                                         |
| Convex Front Door %63 an                   | d %80 Perforated W=800                         |            |                                         |
| MR.PBK842.GTP.XX                           | 4211 800 GT Plus Convex Perforated Front Door  | 420        |                                         |

| MR.PBK842.GTP.XX | 42U 800 GT Plus Convex Perforated Front Door | 420 |
|------------------|----------------------------------------------|-----|
| MR.PBK846.GTP.XX | 46U 800 GT Plus Convex Perforated Front Door | 46U |
| MR.PBK848.GTP.XX | 48U 800 GT Plus Convex Perforated Front Door | 48U |



 $<sup>^{\</sup>star}$  Please specify the perforation rate at the time of order, 63% or 80% perforated.

# GT-DC Series DATA CENTER & NETWORK SOLUTIONS

# W= 600 & W= 800 FRONT DOOR

19" rack cabinet systems


| Double Dears %62 and %90 |                                                                 |     |  |
|--------------------------|-----------------------------------------------------------------|-----|--|
| nonnie none 700 aliu 700 | Perforated W=600                                                |     |  |
| MR.GTP.PAKM642.XX        | 42U 600 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 420 |  |
| MR.GTP.PAKM646.XX        | 46U 600 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 46U |  |
| MR.GTP.PAKM648.XX        | 48U 600 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 48U |  |
| Double Doors %63 and %80 | Perforated W=800                                                |     |  |
| MR.GTP.PAKM842.XX        | 42U 800 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 420 |  |
| MR.GTP.PAKM846.XX        | 46U 800 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 46U |  |
| MR.GTP.PAKM848.XX        | 48U 800 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 48U |  |

# Special Hexagonal Honeycomb Front Door %63 and %80 Perforated W:600

| MR.GTP.PPK642.XX | 42U 600 GT Plus Special Hexagonal Honeycomb, Perforated Front Door | 420 |
|------------------|--------------------------------------------------------------------|-----|
| MR.GTP.PPK646.XX | 46U 600 GT Plus Special Hexagonal Honeycomb, Perforated Front Door | 46U |
| MR.GTP.PPK648.XX | 48U 600 GT Plus Special Hexagonal Honeycomb, Perforated Front Door | 48U |

# Special Hexagonal Honeycomb Front Door %63 and %80 Perforated W:800

| MR.GTP.PPK842.XX | 42U 800 GT Plus Special Hexagonal Honeycomb, Perforated Front Door | 420 |
|------------------|--------------------------------------------------------------------|-----|
| MR.GTP.PPK846.XX | 46U 800 GT Plus Special Hexagonal Honeycomb, Perforated Front Door | 46U |
| MR.GTP.PPK848.XX | 48U 800 GT Plus Special Hexagonal Honeycomb, Perforated Front Door | 48U |




## Aluminum Framed Front Doors %63 and %80 Perforated W:600

| MR.GTP.PACK642.XX | 42U 600 GT Plus Aluminum Side Framed Perforated Front Door | 420 |
|-------------------|------------------------------------------------------------|-----|
| MR.GTP.PACK646.XX | 46U 600 GT Plus Aluminum Side Framed Perforated Front Door | 46U |
| MR.GTP.PACK648.XX | 48U 600 GT Plus Aluminum Side Framed Perforated Front Door | 48U |

### Aluminum Framed Front Doors %63 and %80 Perforated W:800

| MR.GTP.PACK842.XX | 42U 800 GT Plus Aluminum Side Framed Perforated Front Door | 420 |
|-------------------|------------------------------------------------------------|-----|
| MR.GTP.PACK846.XX | 46U 800 GT Plus Aluminum Side Framed Perforated Front Door | 46U |
| MR.GTP.PACK848.XX | 48U 800 GT Plus Aluminum Side Framed Perforated Front Door | 48U |

XX= Colour Code, O2 for Light Grey RAL 7035 and O1 for Black RAL 9005, added in the order by customer.





55







%63 %80





Straight, Perforated Double Door

Straight, Perforated Door



op Fan Module



120x120 220V & 48V DC Fan On / Off 🥌 Fuse-Box**⋖** 



Vertical Fan







| Rear F | Inuhla N | nor %63 : | nd %QN | Perforated | I W=600 |
|--------|----------|-----------|--------|------------|---------|

| MR.GTP.PAKM642.60.XX | 42U 600 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 420 |
|----------------------|-----------------------------------------------------------------|-----|
| MR.GTP.PAKM646.60.XX | 46U 600 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 46U |
| MR.GTP.PAKM648.60.XX | 48U 600 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 48U |



| MR.GTP.PAKM842.80.XX | 42U 800 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 420 |
|----------------------|-----------------------------------------------------------------|-----|
| MR.GTP.PAKM846.80.XX | 46U 800 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 46U |
| MR.GTP.PAKM848.80.XX | 48U 800 GT Plus Rear Cover Lock and Hinge Side Perforated Cover | 48U |



<sup>\*</sup>Please specify the perforation rate at the time of order, 63% or 80% perforated.

| PRODUCT CODE                    | DESCRIPTION                                                              | H SIZE (U) | MODEL |
|---------------------------------|--------------------------------------------------------------------------|------------|-------|
| Vertical Fan                    |                                                                          |            |       |
| MR.DFM42U6AT.XX                 | 42U 6 Fan + Analog Thermostat Vertical Fan Module                        | 420        |       |
| MR.DFM42U8AT.XX                 | 42U 8 Fan + Analog Thermostat Vertical Fan Module                        | 420        | Ø     |
| MR.DFM46U6AT.XX                 | 46U 6 Fan + Analog Thermostat Vertical Fan Module                        | 460        |       |
| MR.DFM46U8AT.XX                 | 46U 8 Fan + Analog Thermostat Vertical Fan Module                        | 460        |       |
| MR.DFM48U6AT.XX                 | 48U 6 Fan + Analog Thermostat Vertical Fan Module                        | 48U        | 0     |
| MR.DFM48U8AT.XX                 | 48U 8 Fan + Analog Thermostat Vertical Fan Module                        | 48U        |       |
| XX= Colour Code, O2 for Light G | Grey RAL 7035 and 01 for Black RAL 9005, added in the order by customer. |            |       |